

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

**REMARKS**

Upon entry of the instant amendment, Claims 15-19 and 21-26 are pending. Claim 26 has been added to more particularly point out applicant's invention.

Claims 15-17, 19, 21-23, and 25 have been rejected under 35 U.S.C. 102(b) as being anticipated by Goldman et al., EP Patent Publication No. 0 588 101 A2 ("Goldman"). In order for there to be anticipation, each and every element of the claimed invention must be present in a single prior reference. Applicants respectfully submit that the claimed invention is not taught, suggested, or implied by Goldman.

As described in the Specification, and in response to the previous Official Action, one aspect of the present invention relates to recording caller ID information in association with an answering machine and transmitting it to a remote location, such as at a call control system local to a retrieving party, to allow making a call to that number. More particularly, caller ID information can be transmitted to a remote location when an answering machine is accessed remotely. That is, the system can send the caller ID information to a call control system more closely associated with the remote caller location than the answering machine location. Thus, claim 15 recites

"a Caller ID data recording unit configured to record Caller ID data from callers calling said system, the caller ID data including a calling party number, the Caller ID data recording unit being associated with a first call control system; an interface configured to transmit the recorded Caller ID data to a remote location when the recorded messages are retrieved; and a second call control system local to a remote caller calling the system and configured to receive the transmitted Caller ID data; wherein said second call control system includes a Caller ID storage and retrieval unit configured to cause the transmitted calling party number included in the received Caller ID data to be called by said second call control system, said second call control system being a call control system more closely connected to the remote caller than the first call control system"

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

and claim 21 recites:

recording Caller ID data from the callers calling said answering device, the caller ID data including a calling party number, the answering device being associated with a local call control system;

transmitting the recorded Caller ID data to a remote location when the recorded messages are retrieved by a remote caller; and

wherein said transmitting comprises transmitting the recorded Caller ID data to an apparatus in a remote call control system wherein said remote call control system includes a Caller ID storage and retrieval unit configured to cause the transmitted calling party number included in the received Caller ID data to be called by said remote call control system, said remote call control system being a call control system more closely connected to the remote caller than the first call control system

In contrast, as discussed in response to the previous Official Action, while Goldman apparently transfers an ANI number to a caller as a header in a voice message retrieval message, the message header number that was transferred does not appear to be used to call back the corresponding number from a remote location.

Instead, while the header is played to the caller, the ANI number itself is separately transferred to a local "Callback Number register 80" which is then used by the local PBX to "transfer" the call to the calling in party. (See, Col. 17, lines 3-11). The calling-in party, however, is local to the PBX. A remotely transferred number is not itself used to call back the message leaving party. Only the local number at the Callback Number register 80 is so used.

Contrary to the suggestion in the Advisory Action, it is not true that "[b]ecause the number at the Callback Number register is used by the PBX to transfer the call to the calling party and because the Callback Number register is remote from the PBX, Goldman teaches the remotely transferred number is used to call back the message leaving party." Instead, the PBX local to the subscriber 21 is used to call back the callback number.

Moreover, Goldman does not provide a local and remote call control systems including features as generally recited in the claims at issue. The callback

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

number register 80 is local to the answering service and the local PBX. Goldman contains no hint that the number can be transferred to a separate call control system close to the remote caller. The Patent Office asserts that "[o]n the issue of remoteness, Goldman covers this limitation because the Callback Number register is separated by a distance greater than usual from the PBX." Even if true, however, the Patent Office does not address the applicant's claim for transferring to a separate call control system local to the remote party.

That is, Goldman does not appear to allow a party to call in remotely to make a phone call using an ANI number at a second call control system remote from the first. Instead, in Goldman, a local subscriber 21 calls in via the local PBX network, i.e., he is local to the network. He can then call the message leaving party, but only via the local PBX. It is the same PBX, not a first and second call control system as recited in the claims at issue. Nowhere does Goldman provide for a remote caller receiving calling party ANI numbers at a remote location associated with a remote call control system and making a call therefrom.

Paragraph 5 of the Official Action states "[b]ecause Goldman discloses the number is transferred from the Callback Number register to the PBX and because the PBX is close to the remote caller, Goldman teaches the number can be transferred to a call control system close to the remote caller." As discussed above, it is absolutely incorrect to assert that Goldman teaches the remote caller receiving the ANI at a second call control system. In other words, the remote caller must call in to the local PBX and the local PBX provides the call connectivity.

As discussed in response to the previous Official Action, it is quite clear from the discussion in FIG. 6 in Goldman that there is no remote caller whatsoever. Instead, a local subscriber calling from his local subscriber station accesses his local messaging system via his local PBX; if desired, the local subscriber can call the message-leaving party. He does so via the local PBX, which uses the number stored in the register 80. However, it is not a remote PBX; and it is the only "call control

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

system" used in the entire operation.

That is, Applicant respectfully submits that the rejection does not properly address the limitations of the claims. Applicant's claims explicitly recite first and second call control systems, at least one of which is remote. The PTO's rejection completely ignores this recitation. In the PTO's rejection and indeed in Goldman, there is one and only one PBX: the local PBX. Thus, any element corresponding to, inter alia, the recited "second call control system local to a remote caller calling the system and configured to receive the transmitted Caller ID data" is utterly missing. As such, it is axiomatic that there can be no anticipation. It is incumbent upon the Patent Office to address the claims as written. Since Goldman contains one and only one "call control system," there can be no anticipation. As such, the Examiner is respectfully requested to reconsider and withdraw the rejection.

Page 2 of the Advisory Action states that Unit 46 is the first claimed call control system and that the combination of units 102, 105, 108, and 25 from Figure 6 is the same as the claimed second call control system. Applicant respectfully submits that this evinces both a misreading of Goldman and a misunderstanding of what a "call control system" is.

In telephony, **call control** refers to the software within a telephone switch that supplies its central function. Call control decodes addressing information and routes telephone calls from one end point to another.

[http://en.wikipedia.org/wiki/Call\\_control](http://en.wikipedia.org/wiki/Call_control)

In Goldman, however, unit 46 is not a call control system. Unit 46 is simply a stored message apparatus and has nothing to do with call control. Thus, Goldman provides one, and only one call control system. As such, the Examiner is respectfully requested to reconsider and withdraw the rejection.

Claims 18 and 24 were rejected under 35 U.S.C. 103(a) as being unpatentable over Goldman in view of Kang et al., U.S. Patent No. 6,094,075 ("Kang").

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

Applicants respectfully submit that the claimed invention is not taught, suggested, or implied by Goldman or Kang, either singly or in combination. Goldman has been discussed above. Kang is relied on for allegedly teaching the "nifty feature" of a wireless carrier system. However, like Goldman, Kang fails to teach, suggest or imply a remote call control system or use of the transferred number to make the return call, as generally recited in the claims at issue. As such, the Examiner is respectfully requested to reconsider and withdraw the rejection.

Further, Applicant respectfully requests that the Patent Office reconsider use of the term "nifty feature" as its connotations are unnecessarily pejorative and appears to indicate an improper bias against Applicant's invention.

Newly added claim 26 recites:

- a voice message storage and retrieval unit;
- a Caller ID data recording unit configured to record Caller ID data from callers calling said system, the caller ID data including a calling party number, the Caller ID data recording unit being associated with a first call control system;
- an interface configured to transmit the recorded Caller ID data to a remote location when the recorded messages are retrieved; and
- an arbitrary second call control system local to an arbitrary remote caller calling the system from a number unknown to the first call control system until receipt of caller ID data and configured to receive the transmitted Caller ID data from the Caller ID data recording unit associated with the first call control system;

wherein said second call control system includes a Caller ID storage and retrieval unit configured to cause the transmitted calling party number included in the received Caller ID data to be called by said second call control system, said second call control system being a call control system more closely connected to the remote caller than the first call control system.

For reasons similar to those discussed above, applicant believes this claim, too, is allowable. In addition, this claim recites, inter alia, "an arbitrary second call control system" and an "arbitrary remote caller calling the system from a number unknown to the first call control system until receipt of caller ID data." In contrast, Goldman can send no information to an arbitrary number; Goldman requires that a

Serial No.: 10/759,790

Attorney Docket No.: 2000P09085US01

recipient number be preprogrammed by the user.


For all of the above reasons, Applicant respectfully submit that the application is in condition for allowance, which allowance is earnestly solicited.

Date: March 23, 2009

Respectfully submitted,

SIEMENS CORPORATION  
Customer Number: 28524  
Intellectual Property Department  
170 Wood Avenue South  
Iselin, New Jersey 0883

Attn: Elsa Keller  
Direct Dial: 1-732-321-3026

By:   
Greg H. Leitich  
Registration No. 39,745  
Attorney for Applicants  
Tel.: 512-469-0063  
Fax: 512-469-0023